
MULTI-STAGE THERMOELECTRIC COOLER SP2394

Multi-Stage Thermoelectric Module



FEATURES

- Pretinned metallized ceramic surface(s) with 117°C solder available
- Elevated temperature burn-in with test data provide
- Ceramic Material: Aluminum Oxide and Beryllium Oxide



MULTI-STAGE THERMOELECTRIC COOLER SP2394

Nominal Performance in Nitrogen

Hot Side Temperature (°C)	27	50
Δ Tmax (°C)	130	146
Qmax (watts)	4.5	4.9
Imax (amps)	5.1	5.1
Vmax (vdc)	8.5	9.4
AC Resistance (ohms)	1.56	

Ordering Options

Model Number	Description
SP2394-01AB	Metallized Base and Top – cooler is mounted and shipped on test base
SP2394-02AB	Metallized Base Only – cooler is mounted and shipped on test base
SP2394-03AB	No Metallization, No Burn In
SP2394-04AB	Metallized Base Only, No Burn In
SP2394-05AB	Metallized Base and Top, 117° both sides
SP2394-07AB	Metallized Base and Top, No Burn In

Operation Cautions


For maximum reliability, storage and operation below 85°C in a non-condensing environment is recommended. To minimize thermal stress, use linear/proportional temperature control or a similar method rather than an ON/OFF method.


Installation

Recommended mounting methods: Bonding with thermal epoxy or soldering with metallized ceramics. For additional information, please refer to our TEM Installation Guide.

Typical Performance Curves

Environment: Vacuum






For performance information in a vacuum or with hot side temperatures other than 27°C or 50°C, please contact us.



MULTI-STAGE THERMOELECTRIC COOLER SP2394

Mechanical Characteristics



All units are in inches. All units in [] are in millimeters.

